



PRODUCT SHIPPING SPECIFICATIONS

| Stock No. | Shipping Carton UPC Number | Case Count | Sleeve Count | Carton Size -- O.D. (inches) | | | Case Cube | Case Weight | Cases Per T/L | | |
|---|----------------------------|------------|--------------|------------------------------|---|-------|-----------|-------------|---------------|------|------|
| | | | | L | W | H | | | | | |
| FOAM CUPS - J STYLE | | | | | | | | | | | |
| 4J4 | 1 00 41594 20097 8 | 1000 | 50 | 15.13 | x | 10.00 | x | 26.38 | 2.3 | 4.7 | 1300 |
| 6J6 | 1 00 41594 20006 0 | 1000 | 25 | 16.38 | x | 10.81 | x | 28.63 | 2.9 | 5.6 | 1030 |
| 6J8 | 1 00 41594 20067 1 | 1000 | 25 | 17.81 | x | 11.75 | x | 29.88 | 3.6 | 6.7 | 830 |
| 8J8 | 0 41594 20007 0 | 1000 | 25 | 17.81 | x | 11.75 | x | 29.50 | 3.6 | 6.8 | 830 |
| 8KY8 | 1 00 41594 20068 8 | 1000 | 25 | 27.38 | x | 14.50 | x | 20.56 | 4.7 | 7.5 | 640 |
| 10FJ8 | 1 00 41594 20069 5 | 1000 | 25 | 27.00 | x | 14.38 | x | 20.63 | 4.6 | 8.4 | 650 |
| 10J10 | 0 41594 20008 7 | 1000 | 25 | 18.75 | x | 12.38 | x | 32.00 | 4.3 | 8.1 | 700 |
| 10J12 | 1 00 41594 20070 1 | 1000 | 25 | 19.50 | x | 12.88 | x | 32.25 | 4.7 | 9.0 | 640 |
| 10KY10 | 1 00 41594 20062 6 | 1000 | 25 | 28.81 | x | 15.25 | x | 22.44 | 5.7 | 8.9 | 530 |
| 12FJ10 | 1 00 41594 20066 4 | 1000 | 25 | 28.50 | x | 15.38 | x | 21.13 | 5.4 | 10.2 | 560 |
| 12J12 | 0 41594 20009 4 | 1000 | 25 | 19.50 | x | 12.88 | x | 34.75 | 5.0 | 9.4 | 600 |
| 12J16 | 1 00 41594 20071 8 | 1000 | 25 | 31.81 | x | 16.81 | x | 18.44 | 5.7 | 10.2 | 530 |
| 14FJ12 | 1 00 41594 20074 9 | 1000 | 25 | 29.94 | x | 15.88 | x | 21.50 | 5.9 | 11.0 | 510 |
| 14J16 | 1 00 41594 20073 2 | 1000 | 25 | 31.81 | x | 16.81 | x | 24.63 | 7.6 | 12.5 | 390 |
| 14J12 | 1 00 41594 20072 5 | 1000 | 25 | 30.00 | x | 15.88 | x | 30.19 | 8.3 | 12.6 | 360 |
| 16J16 | 1 00 41594 20010 7 | 1000 | 25 | 31.81 | x | 16.81 | x | 28.06 | 8.7 | 14.0 | 340 |
| 20J16 | 1 00 41594 20075 6 | 500 | 25 | 20.69 | x | 13.63 | x | 33.56 | 5.5 | 8.6 | 550 |
| 24J16 | 1 00 41594 24417 3 | 500 | 20 | 20.69 | x | 16.88 | x | 35.88 | 7.2 | 10.4 | 420 |
| 24J24 | 1 00 41594 20076 3 | 500 | 25 | 21.56 | x | 14.25 | x | 35.56 | 6.3 | 10.0 | 480 |
| 32TJ32 | 1 00 41594 20077 0 | 500 | 25 | 25.56 | x | 16.81 | x | 34.31 | 8.5 | 12.8 | 350 |
| 32AJ20* | none | 400 | 16 | 23.31 | x | 19.00 | x | 30.69 | 7.9 | 10.9 | 380 |
| 44TJ32 | 1 00 41594 20078 7 | 300 | 20 | 23.25 | x | 14.06 | x | 37.12 | 7.0 | 9.6 | 430 |
| 44AJ32* | none | 300 | 15 | 25.63 | x | 16.88 | x | 30.75 | 7.7 | 10.6 | 390 |
| *Available stock printed or custom printed only. | | | | | | | | | | | |
| FOAM CUPS - Thermo-Glaze STYLE Available custom printed only. | | | | | | | | | | | |
| 4X4 | none | 1000 | 50 | 19.19 | x | 7.63 | x | 26.75 | 2.3 | 4.4 | 1300 |
| 6X6 | none | 1000 | 25 | 16.38 | x | 10.81 | x | 31.75 | 3.3 | 5.7 | 910 |
| 6X10 | none | 1000 | 25 | 18.75 | x | 12.38 | x | 26.25 | 3.5 | 6.4 | 860 |
| 8X8 | none | 1000 | 25 | 17.81 | x | 11.75 | x | 33.88 | 4.1 | 7.1 | 730 |
| 10X10 | none | 1000 | 20 | 18.81 | x | 15.31 | x | 31.81 | 5.3 | 8.9 | 570 |
| 12X12 | none | 1000 | 20 | 19.50 | x | 15.88 | x | 34.63 | 6.2 | 10.7 | 480 |
| 12X16 | none | 1000 | 20 | 20.69 | x | 16.81 | x | 30.25 | 6.1 | 10.7 | 490 |
| 14X16 | none | 1000 | 25 | 31.81 | x | 16.88 | x | 23.38 | 7.3 | 12.1 | 410 |
| 16X16 | none | 1000 | 25 | 31.81 | x | 16.81 | x | 27.75 | 8.6 | 13.8 | 350 |
| 20X16 | none | 500 | 20 | 20.69 | x | 16.81 | x | 32.25 | 6.5 | 9.6 | 460 |
| 24X16 | none | 500 | 20 | 20.69 | x | 16.88 | x | 39.25 | 7.9 | 11.2 | 380 |
| 24X24 | none | 500 | 20 | 21.63 | x | 17.63 | x | 35.00 | 7.7 | 11.6 | 390 |
| 32X32 | none | 500 | 20 | 25.56 | x | 20.81 | x | 29.81 | 9.2 | 13.5 | 330 |
| 8X8WRAP | none | 900 | 25 | 17.81 | x | 11.75 | x | 37.25 | 4.9 | 8.4 | 670 |
| FOAM CUPS - LX STYLE Available stock printed only. Not available in all sales areas. | | | | | | | | | | | |
| 8LX8H/8LX8E | none | 1000 | 25 | 17.63 | x | 11.75 | x | 33.88 | 4.1 | 6.9 | 730 |
| 10LX10H/10LX10E | none | 1000 | 20 | 18.81 | x | 15.31 | x | 31.81 | 5.3 | 8.9 | 570 |
| 12LX12E | none | 1000 | 20 | 19.56 | x | 15.94 | x | 34.63 | 6.2 | 10.4 | 480 |
| 12LX16H/12LX16E | none | 1000 | 20 | 20.69 | x | 16.81 | x | 30.25 | 6.1 | 10.4 | 490 |
| 14LX16H | none | 1000 | 25 | 31.88 | x | 16.88 | x | 23.38 | 7.3 | 11.7 | 410 |
| 16LX16H/16LX16E | none | 1000 | 25 | 31.81 | x | 16.81 | x | 27.75 | 8.6 | 13.3 | 350 |
| 20LX16H/20LX16E | none | 500 | 20 | 20.69 | x | 16.81 | x | 32.25 | 6.5 | 9.4 | 460 |
| 24LX16H/24LX16E | none | 500 | 20 | 20.69 | x | 16.88 | x | 39.25 | 7.9 | 10.9 | 380 |
| 32LX32H/32LX32E | none | 500 | 20 | 25.56 | x | 20.81 | x | 29.81 | 9.2 | 13.1 | 330 |
| FOAM FOOD CONTAINERS | | | | | | | | | | | |
| 2J6 | 0 41594 29651 6 | 1000 | 50 | 16.38 | x | 10.81 | x | 20.38 | 2.1 | 3.6 | 1430 |
| 3.5J6 | 1 00 41594 20085 5 | 1000 | 50 | 16.38 | x | 10.81 | x | 21.81 | 2.2 | 4.5 | 1360 |
| 4J6 | 1 00 41594 20086 2 | 1000 | 50 | 16.38 | x | 10.81 | x | 24.75 | 2.5 | 4.8 | 1200 |
| 6SJ12 | 1 00 41594 20087 9 | 1000 | 50 | 19.50 | x | 12.88 | x | 20.13 | 2.9 | 5.9 | 1030 |
| 8SJ12 | 1 00 41594 20088 6 | 1000 | 50 | 19.50 | x | 12.88 | x | 25.88 | 3.8 | 7.1 | 790 |
| 8SJ20 | 1 00 41594 20089 3 | 1000 | 50 | 23.25 | x | 15.31 | x | 21.50 | 4.4 | 8.1 | 680 |
| 8SJ32 | 1 00 41594 20090 4 | 500 | 25 | 25.56 | x | 16.81 | x | 13.75 | 3.4 | 5.4 | 880 |
| 12SJ20 | 1 00 41594 20091 6 | 500 | 25 | 23.25 | x | 15.31 | x | 14.88 | 3.1 | 5.6 | 970 |
| 16MJ20 | 1 00 41594 20092 3 | 500 | 25 | 23.25 | x | 15.31 | x | 19.88 | 4.1 | 6.5 | 730 |
| 16MJ32 | 1 00 41594 20093 0 | 500 | 25 | 25.56 | x | 16.81 | x | 17.50 | 4.4 | 6.9 | 680 |
| 24MJ48 | 1 00 41594 20094 7 | 500 | 25 | 28.19 | x | 18.56 | x | 21.81 | 6.6 | 10.1 | 450 |
| 32TJ32 | 1 00 41594 20077 0 | 500 | 25 | 25.56 | x | 16.81 | x | 34.31 | 8.5 | 12.8 | 350 |
| 32MJ48 | 1 00 41594 20095 4 | 500 | 25 | 28.25 | x | 18.56 | x | 29.63 | 9.0 | 12.7 | 330 |
| 44TJ32 | 1 00 41594 20078 7 | 300 | 20 | 23.25 | x | 14.06 | x | 37.13 | 7.0 | 9.6 | 430 |

.Not available in all sales areas.

M-320AU

Truckload (T/L) equals 3000 cubic feet (48' trailer).

| Stock No. | Shipping Carton UPC Number | Case Count | Sleeve Count | Carton Size -- O.D. (inches) | | | Case Cube | Case Weight | Cases Per T/L | | |
|--|----------------------------|------------|--------------|------------------------------|---|-------|-----------|-------------|---------------|------|------|
| | | | | L | W | H | | | | | |
| FOAM BOWLS | | | | | | | | | | | |
| 3.5B8 | 1 00 41594 20079 4 | 1000 | 50 | 17.75 | x | 11.69 | x | 21.75 | 2.6 | 4.5 | 1150 |
| 5B20 | 1 00 41594 20080 0 | 1000 | 50 | 23.25 | x | 15.31 | x | 21.13 | 4.4 | 6.2 | 680 |
| 6B12 | 1 00 41594 20081 7 | 1000 | 50 | 19.50 | x | 12.88 | x | 22.56 | 3.3 | 5.8 | 910 |
| 6B20 | 1 00 41594 20153 1 | 1000 | 50 | 23.31 | x | 15.31 | x | 20.13 | 4.2 | 6.6 | 710 |
| 8B20 | 1 00 41594 20082 4 | 1000 | 50 | 23.25 | x | 15.31 | x | 22.00 | 4.5 | 7.3 | 670 |
| 10B20 | 1 00 41594 20083 1 | 1000 | 50 | 23.25 | x | 15.31 | x | 22.63 | 4.7 | 7.9 | 640 |
| 12B32 | 1 00 41594 20084 8 | 1000 | 50 | 25.63 | x | 16.81 | x | 26.00 | 6.5 | 10.4 | 460 |
| FUSION CUPS | | | | | | | | | | | |
| 12U16 | none | 1000 | 20 | 20.75 | x | 16.88 | x | 27.00 | 5.5 | 12.4 | 550 |
| 16U16 | none | 1000 | 25 | 31.88 | x | 16.88 | x | 23.44 | 7.3 | 15.4 | 410 |
| 20U16 | none | 500 | 20 | 20.75 | x | 16.88 | x | 25.81 | 5.2 | 10.0 | 580 |
| 24U16 | none | 500 | 20 | 20.75 | x | 16.88 | x | 31.94 | 6.5 | 12.0 | 460 |
| LIDS FOR FOAM CUPS, CONTAINERS, AND BOWLS | | | | | | | | | | | |
| 4JL | 0 41594 20169 5 | 1000 | 100 | 14.75 | x | 6.00 | x | 14.00 | 0.7 | 3.1 | 4290 |
| 6JL | 0 41594 20031 5 | 1000 | 100 | 15.75 | x | 6.50 | x | 13.50 | 0.8 | 3.5 | 3750 |
| 6JLNV | 0 41594 20170 1 | 1000 | 100 | 15.75 | x | 6.50 | x | 14.00 | 0.8 | 3.9 | 3750 |
| 6JLNV2M | 0 41594 19225 2 | 2000 | 100 | 15.75 | x | 12.75 | x | 13.50 | 1.6 | 7.5 | 1880 |
| 6CLR | 0 41594 57066 1 | 1000 | 100 | 15.75 | x | 6.50 | x | 13.50 | 0.8 | 4.2 | 3750 |
| 8JL | 0 41594 20012 4 | 1000 | 100 | 17.25 | x | 7.00 | x | 13.75 | 1.0 | 4.0 | 3000 |
| 8SL | 0 41594 20134 3 | 1000 | 100 | 17.25 | x | 7.00 | x | 13.50 | 0.9 | 4.1 | 3330 |
| 8UL | 0 41594 20034 6 | 1000 | 100 | 17.25 | x | 7.00 | x | 18.31 | 1.3 | 5.6 | 2310 |
| 8FTL | 0 41594 20130 5 | 1000 | 100 | 16.81 | x | 7.00 | x | 13.50 | 0.9 | 4.6 | 3330 |
| 8EL | 0 41594 20111 4 | 1000 | 100 | 16.94 | x | 6.94 | x | 16.25 | 1.1 | 6.8 | 2730 |
| 8ELBLK | 0 41594 69916 4 | 1000 | 100 | 16.94 | x | 6.94 | x | 16.25 | 1.1 | 6.8 | 2730 |
| 10JL | 0 41594 20013 1 | 1000 | 100 | 17.88 | x | 7.50 | x | 13.50 | 1.0 | 4.2 | 3000 |
| 10SL | 0 41594 20135 0 | 1000 | 100 | 17.88 | x | 7.50 | x | 13.50 | 1.0 | 4.2 | 3000 |
| 10UL | 0 41594 20173 2 | 1000 | 100 | 17.88 | x | 7.50 | x | 18.31 | 1.4 | 6.0 | 2140 |
| 10FTL | 0 41594 20136 7 | 1000 | 100 | 17.63 | x | 7.38 | x | 13.50 | 1.0 | 5.2 | 3000 |
| 10EL | 0 41594 22728 2 | 1000 | 100 | 17.88 | x | 7.50 | x | 16.25 | 1.3 | 7.2 | 2310 |
| 12JL | 0 41594 20014 8 | 1000 | 100 | 18.63 | x | 7.50 | x | 13.50 | 1.1 | 4.8 | 2730 |
| 12SL | 0 41594 20058 2 | 1000 | 100 | 18.63 | x | 7.50 | x | 13.50 | 1.1 | 4.8 | 2730 |
| 12UL | 0 41594 20036 0 | 1000 | 100 | 18.63 | x | 7.63 | x | 17.50 | 1.4 | 6.7 | 2140 |
| 12FTL | 0 41594 20131 2 | 1000 | 100 | 18.63 | x | 7.63 | x | 13.50 | 1.1 | 5.5 | 2730 |
| 12FTLS | 0 41594 20098 8 | 1000 | 100 | 18.31 | x | 7.50 | x | 14.00 | 1.1 | 5.5 | 2730 |
| 12EL | 0 41594 20112 1 | 1000 | 100 | 18.81 | x | 7.81 | x | 16.38 | 1.4 | 8.0 | 2140 |
| 12CLR | 0 41594 57067 8 | 1000 | 100 | 18.63 | x | 7.63 | x | 13.50 | 1.1 | 5.8 | 2730 |
| 12HDLC | 0 41594 20175 6 | 1000 | 50 | 18.31 | x | 15.31 | x | 13.13 | 2.1 | 8.5 | 1430 |
| 16JL | 0 41594 20017 9 | 1000 | 100 | 19.56 | x | 8.13 | x | 13.50 | 1.2 | 5.4 | 2500 |
| 16SL | 0 41594 20015 5 | 1000 | 100 | 19.56 | x | 8.13 | x | 13.50 | 1.2 | 5.2 | 2500 |
| 16UL | 0 41594 20039 1 | 1000 | 100 | 19.56 | x | 8.00 | x | 17.50 | 1.6 | 7.0 | 1880 |
| 16FTL | 0 41594 20132 9 | 1000 | 100 | 19.50 | x | 8.13 | x | 13.50 | 1.2 | 6.0 | 2500 |
| 16FTLS | 0 41594 20099 5 | 1000 | 100 | 19.50 | x | 8.13 | x | 13.50 | 1.2 | 6.0 | 2500 |
| 16EL | 0 41594 20113 8 | 1000 | 100 | 19.75 | x | 8.25 | x | 14.13 | 1.3 | 9.0 | 2310 |
| 16ELBLK | 0 41594 36998 2 | 1000 | 100 | 19.75 | x | 8.25 | x | 14.13 | 1.3 | 9.0 | 2310 |
| 16RCL | 0 41594 33186 6 | 1000 | 100 | 19.75 | x | 8.25 | x | 15.25 | 1.4 | 10.7 | 2140 |
| 16RCLBLK | 0 41594 33187 3 | 1000 | 100 | 19.75 | x | 8.25 | x | 15.25 | 1.4 | 10.7 | 2140 |
| 16LCD | 0 41594 23137 1 | 1000 | 50 | 20.00 | x | 16.00 | x | 11.44 | 2.1 | 10.4 | 1430 |
| 16LCDH | 0 41594 23136 4 | 1000 | 50 | 20.00 | x | 16.00 | x | 11.44 | 2.1 | 9.8 | 1430 |
| 16LCDHX | 0 41594 48105 9 | 1000 | 50 | 20.00 | x | 16.00 | x | 11.44 | 2.1 | 9.2 | 1430 |
| 20JL | 0 41594 20059 9 | 1000 | 100 | 21.88 | x | 9.00 | x | 13.50 | 1.5 | 8.0 | 2000 |
| 20SL | 0 41594 50023 1 | 1000 | 100 | 21.88 | x | 9.00 | x | 14.50 | 1.7 | 8.1 | 1760 |
| 20JLNV | 0 41594 20178 7 | 1000 | 100 | 21.88 | x | 9.00 | x | 13.50 | 1.5 | 8.0 | 2000 |
| 20CLR | 0 41594 47065 7 | 1000 | 100 | 22.00 | x | 9.00 | x | 13.63 | 1.6 | 7.8 | 1880 |
| 20LCDH | 0 41594 34279 4 | 1000 | 50 | 22.25 | x | 17.88 | x | 11.63 | 2.7 | 11.6 | 1110 |
| 20DLCR | 0 41594 59634 0 | 1000 | 100 | 21.88 | x | 9.00 | x | 13.63 | 1.6 | 7.9 | 1880 |
| 20DLV | 0 41594 20180 0 | 1000 | 100 | 21.88 | x | 9.00 | x | 13.63 | 1.6 | 8.0 | 1880 |
| 20HDLC | 0 41594 20137 4 | 1000 | 50 | 22.44 | x | 18.06 | x | 11.00 | 2.6 | 10.4 | 1150 |
| 20HLB | 0 41594 20177 0 | 1000 | 100 | 21.88 | x | 9.00 | x | 13.50 | 1.5 | 8.0 | 2000 |
| 20RL | 0 41594 20138 1 | 500 | 50 | 21.13 | x | 8.63 | x | 17.75 | 1.9 | 3.3 | 1580 |
| 24SL05 | 0 41594 20060 5 | 500 | 100 | 20.38 | x | 4.31 | x | 13.50 | 0.7 | 3.0 | 4290 |
| 32JL | 0 41594 20140 4 | 500 | 100 | 24.25 | x | 5.13 | x | 13.50 | 1.0 | 4.9 | 3000 |
| 32SL | 0 41594 20061 2 | 500 | 100 | 24.25 | x | 5.13 | x | 13.50 | 1.0 | 4.7 | 3000 |
| 32CLR | 0 41594 57068 5 | 500 | 100 | 24.25 | x | 5.13 | x | 13.50 | 1.0 | 5.1 | 3000 |
| 32HDLC | 0 41594 20182 4 | 500 | 50 | 24.25 | x | 10.00 | x | 11.25 | 1.6 | 6.3 | 1880 |
| 32PL | 0 41594 20141 1 | 500 | 100 | 24.25 | x | 5.13 | x | 13.50 | 1.0 | 5.1 | 3000 |
| 32RL | 0 41594 20142 8 | 500 | 50 | 23.25 | x | 9.50 | x | 17.38 | 2.2 | 3.6 | 1360 |
| 48JL | 0 41594 20199 2 | 500 | 100 | 26.50 | x | 5.63 | x | 13.50 | 1.2 | 6.4 | 2500 |

| Stock No. | Shipping Carton UPC Number | Case Count | Sleeve Count | Carton Size -- O.D. (inches) | | | Case Cube | Case Weight | Cases Per T/L | | |
|---|----------------------------|------------|--------------|------------------------------|---|-------|-----------|-------------|---------------|------|-------|
| | | | | L | W | H | | | | | |
| TRANSLUCENT PLASTIC CUPS - CONEX | | | | | | | | | | | |
| 3.5N25 | 0 41594 50000 2 | 2500 | 100 | 13.00 | x | 13.00 | x | 17.25 | 1.7 | 14.4 | 1760 |
| 5N25 | 0 41594 50001 9 | 2500 | 100 | 14.75 | x | 14.75 | x | 17.50 | 2.2 | 20.0 | 1360 |
| 7N25 | 0 41594 50002 6 | 2500 | 100 | 14.38 | x | 14.25 | x | 21.25 | 2.5 | 23.6 | 1200 |
| 9N25 | 0 41594 50003 3 | 2500 | 100 | 15.69 | x | 15.69 | x | 21.25 | 3.0 | 33.7 | 1000 |
| 10N25 | 0 41594 50004 0 | 2500 | 100 | 16.13 | x | 16.13 | x | 21.00 | 3.2 | 35.8 | 940 |
| 12SN | 0 41594 50005 7 | 1000 | 50 | 17.69 | x | 14.25 | x | 16.00 | 2.3 | 16.5 | 1300 |
| 14N | 0 41594 50006 4 | 1000 | 50 | 17.69 | x | 14.25 | x | 16.25 | 2.4 | 19.0 | 1250 |
| 16TN | 0 41594 50007 1 | 1000 | 50 | 17.94 | x | 14.38 | x | 18.00 | 2.7 | 22.8 | 1110 |
| 16K | 0 41594 50012 5 | 1000 | 50 | 19.88 | x | 15.88 | x | 20.75 | 3.8 | 25.6 | 790 |
| 20N | 0 41594 50013 2 | 1000 | 50 | 19.88 | x | 15.88 | x | 20.00 | 3.7 | 29.0 | 810 |
| 24TN | 0 41594 25634 3 | 1000 | 50 | 19.56 | x | 15.81 | x | 26.19 | 4.7 | 33.8 | 640 |
| 32N05 | 0 41594 50015 6 | 500 | 50 | 22.13 | x | 9.06 | x | 23.00 | 2.7 | 24.4 | 1110 |
| 9C05 | none | 500 | 25 | 17.44 | x | 14.00 | x | 8.00 | 1.1 | 9.7 | 2730 |
| 7HW20B | none | 2000 | 100 | 16.94 | x | 14.50 | x | 21.75 | 3.1 | 22.1 | 970 |
| HH | none | 12 | 6 | 10.75 | x | 7.13 | x | 3.50 | 0.2 | 1.3 | 15000 |
| TRANSLUCENT PLASTIC CUPS - CONEX K STYLE Available custom printed only. | | | | | | | | | | | |
| 7K25 | none | 2500 | 100 | 14.38 | x | 14.38 | x | 23.69 | 2.8 | 27.2 | 1070 |
| 9K25 | none | 2500 | 100 | 15.69 | x | 15.69 | x | 22.06 | 3.1 | 33.2 | 970 |
| 10K25 | none | 2500 | 100 | 16.13 | x | 16.13 | x | 22.25 | 3.3 | 36.4 | 910 |
| 12K | none | 1000 | 50 | 17.19 | x | 13.88 | x | 17.69 | 2.4 | 18.4 | 1250 |
| 14K | none | 1000 | 50 | 18.00 | x | 14.25 | x | 20.56 | 3.1 | 20.8 | 970 |
| 16K | 0 41594 50012 5 | 1000 | 50 | 19.88 | x | 15.88 | x | 20.75 | 3.8 | 25.6 | 790 |
| 20K | none | 1000 | 50 | 19.94 | x | 15.81 | x | 20.25 | 3.7 | 31.3 | 810 |
| 24K | none | 1000 | 50 | 21.38 | x | 17.06 | x | 23.44 | 4.9 | 42.2 | 610 |
| 32K05 | none | 500 | 50 | 22.25 | x | 9.06 | x | 27.13 | 3.2 | 28.3 | 940 |
| Also available unprinted | | | | | | | | | | | |
| LIDS FOR TRANSLUCENT PLASTIC CUPS | | | | | | | | | | | |
| L7N25 | none | 2500 | 100 | 14.88 | x | 14.88 | x | 14.50 | 1.9 | 7.9 | 1580 |
| L9N25 | 1 00 41594 50017 7 | 2500 | 100 | 16.25 | x | 16.25 | x | 14.50 | 2.2 | 9.5 | 1360 |
| L10N25 | 1 00 41594 50022 1 | 2500 | 100 | 16.50 | x | 16.50 | x | 14.50 | 2.3 | 11.4 | 1300 |
| L12K | none | 1000 | 100 | 17.31 | x | 7.13 | x | 14.50 | 1.0 | 4.7 | 3000 |
| L14N | none | 1000 | 100 | 18.31 | x | 7.50 | x | 14.75 | 1.2 | 5.0 | 2500 |
| L16TN | none | 1000 | 100 | 18.31 | x | 7.50 | x | 14.75 | 1.2 | 5.0 | 2500 |
| L24TN | 0 41594 23415 0 | 1000 | 100 | 20.50 | x | 8.38 | x | 16.38 | 1.6 | 5.8 | 1880 |
| 24LCD | 0 41594 28520 6 | 1000 | 50 | 20.56 | x | 16.50 | x | 12.00 | 2.4 | 11.2 | 1250 |
| 24LCDH | 0 41594 26840 7 | 1000 | 50 | 20.56 | x | 16.50 | x | 12.00 | 2.4 | 10.6 | 1250 |
| L32N05 | none | 500 | 100 | 23.06 | x | 4.94 | x | 13.88 | 0.9 | 4.6 | 3330 |
| CLEAR PETE CUPS - CONEX CLASSIC | | | | | | | | | | | |
| 5C | 0 41594 26256 6 | 2500 | 100 | 14.31 | x | 14.31 | x | 21.19 | 2.5 | 35.4 | 1200 |
| 7C | 0 41594 26257 3 | 1000 | 50 | 14.31 | x | 11.50 | x | 13.25 | 1.3 | 20.0 | 2310 |
| 9C | 0 41594 26258 0 | 1000 | 50 | 15.88 | x | 12.81 | x | 13.56 | 1.6 | 23.6 | 1880 |
| 9CS | 0 41594 26259 7 | 1000 | 50 | 18.63 | x | 15.00 | x | 13.00 | 2.1 | 23.2 | 1430 |
| 10C | 0 41594 26287 3 | 1000 | 50 | 15.88 | x | 12.81 | x | 13.81 | 1.6 | 25.2 | 1880 |
| 12C | 0 41594 26260 3 | 1000 | 50 | 16.88 | x | 13.56 | x | 16.56 | 2.2 | 27.5 | 1360 |
| 12CS | 0 41594 26261 0 | 1000 | 50 | 18.63 | x | 15.00 | x | 16.75 | 2.7 | 32.4 | 1110 |
| 16CT | 0 41594 26262 7 | 1000 | 50 | 19.63 | x | 15.81 | x | 21.00 | 3.8 | 40.4 | 790 |
| 20CT | 0 41594 26263 4 | 600 | 50 | 16.00 | x | 12.13 | x | 21.50 | 2.4 | 29.0 | 1250 |
| 24C | 0 41594 26264 1 | 600 | 50 | 16.00 | x | 12.13 | x | 25.25 | 2.8 | 32.0 | 1070 |
| 32AC | 0 41594 41872 7 | 500 | 25 | 23.31 | x | 15.44 | x | 21.38 | 4.5 | 34.5 | 670 |
| CLEAR RPET CUPS - CONEX CLASSIC RE-PETE Made with 20% post-consumer recycled PETE. | | | | | | | | | | | |
| RC9CS | 0 41594 72914 4 | 1000 | 50 | 18.63 | x | 15.00 | x | 15.25 | 2.5 | 23.4 | 1430 |
| RC10C | 0 41594 72990 8 | 1000 | 50 | 15.88 | x | 12.81 | x | 13.81 | 1.6 | 25.2 | 1880 |
| RC12CS | 0 41594 72991 5 | 1000 | 50 | 18.81 | x | 15.19 | x | 16.75 | 2.8 | 32.5 | 1110 |
| RC16CT | 0 41594 72992 2 | 1000 | 50 | 19.63 | x | 15.81 | x | 21.00 | 3.8 | 40.4 | 790 |
| R20CT | 0 41594 72993 9 | 600 | 50 | 16.00 | x | 12.12 | x | 21.00 | 2.4 | 29.0 | 1250 |
| RC24C | 0 41594 72994 6 | 600 | 50 | 16.00 | x | 12.13 | x | 24.88 | 2.8 | 32.0 | 1070 |
| CLEAR PP CUPS - CONEX CLEARPRO | | | | | | | | | | | |
| 12P | 0 41594 67316 4 | 1000 | 50 | 19.50 | x | 15.63 | x | 13.31 | 2.5 | 22.3 | 1200 |
| 16P | 0 41594 67318 8 | 1000 | 50 | 19.50 | x | 15.63 | x | 20.19 | 3.8 | 27.2 | 790 |
| 20P | 0 41594 67320 1 | 600 | 50 | 15.69 | x | 11.75 | x | 19.31 | 2.2 | 18.6 | 1360 |
| 24P | 0 41594 67322 5 | 600 | 50 | 15.69 | x | 11.75 | x | 24.94 | 2.8 | 21.9 | 1070 |
| 32P | 0 41594 67324 9 | 500 | 25 | 23.00 | x | 15.06 | x | 18.50 | 3.9 | 25.9 | 770 |
| WHITE PP CUPS - CONEX CLEARPRO Available custom printed only. | | | | | | | | | | | |
| 12PW | none | 1000 | 50 | 19.50 | x | 15.63 | x | 13.31 | 2.5 | 22.3 | 1200 |
| 16PW | none | 1000 | 50 | 19.50 | x | 15.63 | x | 20.19 | 3.8 | 27.2 | 790 |
| 20PW | none | 600 | 50 | 15.69 | x | 11.75 | x | 19.31 | 2.2 | 18.6 | 1360 |
| 24PW | none | 600 | 50 | 15.69 | x | 11.75 | x | 24.94 | 2.8 | 21.9 | 1070 |
| 32PW | none | 500 | 25 | 23.00 | x | 15.06 | x | 18.50 | 3.9 | 25.3 | 770 |

Not available in all sales areas.

M-320AU

Truckload (T/L) equals 3000 cubic feet (48' trailer).

| Stock No. | Shipping Carton UPC Number | Case Count | Sleeve Count | Carton Size -- O.D. (inches) | | | Case Cube | Case Weight | Cases Per T/L | | |
|---|----------------------------|------------|--------------|------------------------------|---|-------|-----------|-------------|---------------|------|------|
| | | | | L | W | H | | | | | |
| CLEAR LIDS FOR CONEX CLASSIC AND CONEX CLEARPRO | | | | | | | | | | | |
| L10C | 0 41594 26288 7 | 1000 | 100 | 16.44 | x | 6.75 | x | 14.44 | 0.9 | 5.2 | 3330 |
| L10CNV | 0 41594 33695 3 | 1000 | 100 | 16.44 | x | 6.75 | x | 14.44 | 0.9 | 5.2 | 3330 |
| L12C | 0 41594 26289 4 | 1000 | 100 | 17.19 | x | 7.06 | x | 14.44 | 1.0 | 5.7 | 3000 |
| L12CS | 0 41594 26620 5 | 1000 | 100 | 19.25 | x | 8.13 | x | 16.13 | 1.5 | 7.2 | 2000 |
| L12CSNV | 0 41594 33693 9 | 1000 | 100 | 19.25 | x | 8.13 | x | 16.13 | 1.5 | 7.2 | 2000 |
| 20LCDH | 0 41594 34279 4 | 1000 | 50 | 22.25 | x | 17.88 | x | 11.63 | 2.7 | 11.6 | 1110 |
| L24C | 0 41594 26290 0 | 1000 | 100 | 21.75 | x | 8.56 | x | 15.25 | 1.6 | 7.9 | 1880 |
| 24LCD | 0 41594 28520 6 | 1000 | 50 | 20.56 | x | 16.50 | x | 12.00 | 2.4 | 11.2 | 1250 |
| 24LCDH | 0 41594 26840 7 | 1000 | 50 | 20.56 | x | 16.50 | x | 12.00 | 2.4 | 10.6 | 1250 |
| L32C | 0 41594 41873 4 | 1000 | 50 | 21.75 | x | 9.00 | x | 18.25 | 2.1 | 9.2 | 1430 |
| DELI CONTAINERS, LIDS, AND DELI CONTAINER/LID COMBO-PAKS - CONEX | | | | | | | | | | | |
| 8DN05 | 0 41594 20225 8 | 500 | 50 | 23.44 | x | 15.00 | x | 9.75 | 2.0 | 11.4 | 1500 |
| 8DW05 | 0 41594 50008 8 | 500 | 50 | 23.44 | x | 15.00 | x | 9.75 | 2.0 | 11.4 | 1500 |
| 16DN05 | 0 41594 05327 0 | 500 | 50 | 23.44 | x | 16.38 | x | 9.75 | 2.2 | 16.2 | 1360 |
| 16DW05 | 0 41594 50009 5 | 500 | 50 | 23.44 | x | 16.38 | x | 9.75 | 2.2 | 16.2 | 1360 |
| 32DN05 | 0 41594 00001 4 | 500 | 25 | 23.44 | x | 18.88 | x | 17.75 | 4.5 | 26.8 | 670 |
| 32DW05 | 0 41594 50010 1 | 500 | 25 | 23.44 | x | 18.88 | x | 17.75 | 4.5 | 26.8 | 670 |
| 8DWCP | 0 41594 00002 1 | 250/250 | 50 | 23.88 | x | 15.00 | x | 9.94 | 2.1 | 9.2 | 1430 |
| 16DWCP | 0 41594 00003 8 | 250/250 | 50 | 23.88 | x | 16.38 | x | 9.94 | 2.2 | 11.7 | 1360 |
| 32DWCP | 0 41594 00004 5 | 250/250 | 50 | 23.88 | x | 17.50 | x | 14.69 | 3.6 | 17.0 | 830 |
| LDCK05 | 0 41594 50011 8 | 500 | 50 | 23.88 | x | 11.88 | x | 9.94 | 1.6 | 6.7 | 1880 |
| LDCX05 | 0 41594 00005 2 | 500 | 50 | 23.88 | x | 11.88 | x | 9.94 | 1.6 | 6.0 | 1880 |
| LDN05 | 0 41594 00006 9 | 500 | 50 | 23.88 | x | 11.88 | x | 9.94 | 1.6 | 6.6 | 1880 |
| LDW05 | 0 41594 00007 6 | 500 | 50 | 23.88 | x | 11.88 | x | 9.94 | 1.6 | 6.6 | 1880 |
| CLEAR PLASTIC PORTION CONTAINERS - CONEX COMPLEMENTS | | | | | | | | | | | |
| 050PC | 0 41594 41534 4 | 2500 | 125 | 9.13 | x | 7.38 | x | 17.13 | 0.7 | 6.0 | 4290 |
| 075PC | 0 41594 41536 8 | 2500 | 125 | 9.13 | x | 7.38 | x | 17.50 | 0.7 | 7.0 | 4290 |
| 100PC | 0 41594 41538 2 | 2500 | 125 | 9.13 | x | 7.38 | x | 17.81 | 0.7 | 8.0 | 4290 |
| 125PC | 0 41594 41540 5 | 2500 | 125 | 9.13 | x | 7.38 | x | 22.75 | 0.9 | 8.9 | 3330 |
| 125PCG | 0 41594 41542 9 | 2500 | 125 | 9.13 | x | 7.38 | x | 22.75 | 0.9 | 8.9 | 3330 |
| 150PC | 0 41594 41544 3 | 2500 | 125 | 12.56 | x | 10.13 | x | 18.50 | 1.4 | 11.7 | 2140 |
| 200PC | 0 41594 41546 7 | 2500 | 125 | 12.56 | x | 10.13 | x | 18.50 | 1.4 | 12.5 | 2140 |
| 250PC | 0 41594 41548 1 | 2500 | 125 | 12.56 | x | 10.13 | x | 19.88 | 1.5 | 14.8 | 2000 |
| 325PC | 0 41594 41550 4 | 2500 | 125 | 15.25 | x | 12.31 | x | 17.88 | 1.9 | 19.3 | 1580 |
| 400PC | 0 41594 41552 8 | 2500 | 125 | 15.25 | x | 12.31 | x | 18.25 | 2.0 | 21.6 | 1500 |
| 550PC | 0 41594 41554 2 | 2500 | 125 | 15.25 | x | 12.31 | x | 23.81 | 2.6 | 27.1 | 1150 |
| BLACK PLASTIC PORTION CONTAINERS - CONEX COMPLEMENTS | | | | | | | | | | | |
| 100PCBLK | 0 41594 50323 2 | 2500 | 125 | 9.13 | x | 7.38 | x | 17.81 | 0.7 | 8.0 | 4290 |
| 200PCBLK | 0 41594 50325 6 | 2500 | 125 | 12.56 | x | 10.13 | x | 18.50 | 1.4 | 12.5 | 2140 |
| 325PCBLK | 0 41594 50327 0 | 2500 | 125 | 15.25 | x | 12.31 | x | 17.88 | 1.9 | 19.3 | 1580 |
| 400PCBLK | 0 41594 50329 4 | 2500 | 125 | 15.25 | x | 12.31 | x | 18.25 | 2.0 | 21.6 | 1500 |
| 550PCBLK | 0 41594 50331 7 | 2500 | 125 | 15.25 | x | 12.31 | x | 23.81 | 2.6 | 27.1 | 1150 |
| CLEAR LIDS - CONEX COMPLEMENTS | | | | | | | | | | | |
| 100PCL25 | 0 41594 42869 6 | 2500 | 125 | 9.94 | x | 8.06 | x | 20.25 | 1.0 | 4.7 | 3330 |
| 200PCL | 0 41594 56008 2 | 2500 | 125 | 13.50 | x | 10.81 | x | 20.88 | 1.7 | 8.6 | 1670 |
| 400PCL | 0 41594 56009 9 | 2500 | 125 | 16.25 | x | 13.25 | x | 18.87 | 2.5 | 11.7 | 1250 |
| FOAM DINNERWARE - QUIET CLASSIC WHITE | | | | | | | | | | | |
| 3.5BWWQ | 0 41594 14147 2 | 1000 | 125 | 18.75 | x | 9.25 | x | 19.75 | 2.0 | 4.6 | 1500 |
| 5BWWQ | 0 41594 19045 6 | 1000 | 125 | 18.75 | x | 9.25 | x | 22.75 | 2.3 | 5.2 | 1300 |
| 12BWWQ | 0 41594 02198 9 | 1000 | 125 | 24.75 | x | 12.25 | x | 23.00 | 4.0 | 9.4 | 1030 |
| 6PWQ | 0 41594 19241 2 | 1000 | 125 | 24.75 | x | 12.25 | x | 16.50 | 2.9 | 8.0 | 1030 |
| 7PWQ | 0 41594 19547 5 | 1000 | 125 | 28.75 | x | 14.25 | x | 16.50 | 3.9 | 9.8 | 770 |
| 9PWQ | 0 41594 21038 3 | 500 | 125 | 18.50 | x | 18.50 | x | 17.50 | 3.5 | 9.8 | 860 |
| 9CPWQ | 0 41594 21005 5 | 500 | 125 | 18.50 | x | 18.50 | x | 17.50 | 3.5 | 10.0 | 860 |
| 10PWQ | 0 41594 00916 1 | 500 | 125 | 21.00 | x | 21.00 | x | 18.00 | 4.6 | 12.7 | 650 |
| 10CPWQ | 0 41594 00879 9 | 500 | 125 | 21.00 | x | 21.00 | x | 19.50 | 5.0 | 13.2 | 600 |
| 9PRWQ | 0 41594 21034 5 | 500 | 125 | 20.25 | x | 13.63 | x | 17.00 | 2.7 | 7.9 | 1110 |
| 11PRWQ | 0 41594 01574 2 | 500 | 125 | 22.13 | x | 15.13 | x | 17.50 | 3.4 | 10.2 | 880 |
| FOAM DINNERWARE - QUIET CLASSIC HONEY | | | | | | | | | | | |
| 3.5BWHQ | 0 41594 14143 4 | 1000 | 125 | 18.75 | x | 9.25 | x | 19.75 | 2.0 | 4.6 | 1500 |
| 5BWHQ | 0 41594 19040 1 | 1000 | 125 | 18.75 | x | 9.25 | x | 22.75 | 2.3 | 5.2 | 1300 |
| 12BWHQ | 0 41594 02193 4 | 1000 | 125 | 24.75 | x | 12.25 | x | 23.00 | 4.0 | 9.4 | 750 |
| 8CDHQ | 0 41594 20216 6 | 1000 | 125 | 19.31 | x | 14.56 | x | 25.50 | 4.2 | 12.3 | 710 |
| 6PHQ | 0 41594 19236 8 | 1000 | 125 | 24.75 | x | 12.25 | x | 16.50 | 2.9 | 8.0 | 1030 |
| 7PHQ | 0 41594 19542 0 | 1000 | 125 | 28.75 | x | 14.25 | x | 16.50 | 3.9 | 9.8 | 770 |
| 9PHQ | 0 41594 21028 4 | 500 | 125 | 18.50 | x | 18.50 | x | 17.50 | 3.5 | 9.8 | 860 |
| 9CPHQ | 0 41594 21000 0 | 500 | 125 | 18.50 | x | 18.50 | x | 17.50 | 3.5 | 10.0 | 860 |
| 10PHQ | 0 41594 00911 6 | 500 | 125 | 21.00 | x | 21.00 | x | 18.00 | 4.6 | 12.7 | 650 |
| 10CPHQ | 0 41594 00873 7 | 500 | 125 | 21.00 | x | 21.00 | x | 19.50 | 5.0 | 13.2 | 600 |
| 9PRHQ | 0 41594 21030 7 | 500 | 125 | 20.25 | x | 13.63 | x | 17.00 | 2.7 | 7.9 | 1110 |
| 11PRHQ | 0 41594 01570 4 | 500 | 125 | 22.13 | x | 15.13 | x | 17.50 | 3.4 | 10.2 | 880 |

| Stock No. | Shipping Carton UPC Number | Case Count | Sleeve Count | Carton Size -- O.D. (inches) | | | Case Cube | Case Weight | Cases Per T/L | | |
|---|----------------------------|------------|--------------|------------------------------|---|-------|-----------|-------------|---------------|------|------|
| | | | | L | W | H | | | | | |
| FOAM DINNERWARE - QUIET CLASSIC BLACK | | | | | | | | | | | |
| 3.5WBWQ | 0 41594 31555 2 | 1000 | 125 | 18.75 | x | 9.25 | x | 19.75 | 2.0 | 4.6 | 1500 |
| 5WBWQ | 0 41594 31557 6 | 1000 | 125 | 18.75 | x | 9.25 | x | 22.75 | 2.3 | 5.2 | 1300 |
| 12WBWQ | 0 41594 31559 0 | 1000 | 125 | 24.75 | x | 12.25 | x | 23.00 | 4.0 | 9.9 | 750 |
| 8CDBQ | 0 41594 31573 6 | 1000 | 125 | 19.31 | x | 14.56 | x | 25.50 | 4.2 | 12.3 | 710 |
| 6PBQ | 0 41594 31561 3 | 1000 | 125 | 24.75 | x | 12.25 | x | 16.50 | 2.9 | 8.0 | 1030 |
| 7PBQ | 0 41594 31563 7 | 1000 | 125 | 28.75 | x | 14.25 | x | 16.50 | 3.9 | 9.8 | 770 |
| 9PBQ | 0 41594 31565 1 | 500 | 125 | 18.50 | x | 18.50 | x | 17.50 | 3.5 | 10.0 | 860 |
| 9CPBQ | 0 41594 31567 5 | 500 | 125 | 18.50 | x | 18.50 | x | 17.50 | 3.5 | 10.0 | 860 |
| 10PBQ | 0 41594 31569 9 | 500 | 125 | 21.00 | x | 21.00 | x | 18.00 | 4.6 | 13.1 | 650 |
| 10CPBQ | 0 41594 31571 2 | 500 | 125 | 21.00 | x | 21.00 | x | 18.00 | 5.0 | 13.2 | 650 |
| 9PRBQ | 0 41594 31575 0 | 500 | 125 | 20.25 | x | 13.63 | x | 17.00 | 2.7 | 8.7 | 1110 |
| 11PRBQ | 0 41594 31577 4 | 500 | 125 | 22.13 | x | 15.13 | x | 17.50 | 3.4 | 10.2 | 880 |
| FOAM DINNERWARE - CONCORDE | | | | | | | | | | | |
| 3.5BWWC | 0 41594 14145 8 | 1000 | 125 | 18.75 | x | 9.25 | x | 19.75 | 2.0 | 4.4 | 1500 |
| 5BWWC | 0 41594 19042 5 | 1000 | 125 | 18.75 | x | 9.25 | x | 22.75 | 2.3 | 5.0 | 1300 |
| 12BWWC | 0 41594 02195 8 | 1000 | 125 | 24.75 | x | 12.25 | x | 23.00 | 4.0 | 8.1 | 750 |
| 6PWC | 0 41594 19238 2 | 1000 | 125 | 24.75 | x | 12.25 | x | 16.50 | 2.9 | 6.5 | 1030 |
| 7PWC | 0 41594 19544 4 | 1000 | 125 | 28.75 | x | 14.25 | x | 16.50 | 3.9 | 9.0 | 770 |
| 9PWC | 0 41594 21032 1 | 500 | 125 | 18.50 | x | 18.50 | x | 17.50 | 3.5 | 8.1 | 860 |
| 9CPWC | 0 41594 21002 4 | 500 | 125 | 18.50 | x | 18.50 | x | 17.50 | 3.5 | 8.1 | 860 |
| 10PWC | 0 41594 00913 0 | 500 | 125 | 21.00 | x | 21.00 | x | 18.00 | 4.6 | 12.3 | 650 |
| 10CPWC | 0 41594 00876 8 | 500 | 125 | 21.00 | x | 21.00 | x | 19.50 | 5.0 | 12.4 | 600 |
| 9PRWC | 0 41594 20657 7 | 500 | 125 | 20.25 | x | 13.63 | x | 17.00 | 2.7 | 7.7 | 1110 |
| 11PRWC | 0 41594 20658 4 | 500 | 125 | 22.13 | x | 15.13 | x | 17.50 | 3.4 | 9.5 | 880 |
| IMPACT PLASTIC DINNERWARE - FAMOUS SERVICE | | | | | | | | | | | |
| 4BWWF | 0 41594 20634 8 | 1000 | 125 | 18.75 | x | 4.75 | x | 12.50 | 0.6 | 9.6 | 5000 |
| 5BWWF | 0 41594 20635 5 | 1000 | 125 | 19.75 | x | 5.13 | x | 12.63 | 0.7 | 10.7 | 4290 |
| 12BWWF | 0 41594 20636 2 | 1000 | 125 | 24.63 | x | 6.25 | x | 13.25 | 1.2 | 16.6 | 2500 |
| 6PWF | 0 41594 20637 9 | 1000 | 125 | 12.50 | x | 12.50 | x | 11.00 | 1.0 | 14.9 | 3000 |
| 7PWF | 0 41594 20638 6 | 1000 | 125 | 14.50 | x | 14.50 | x | 10.00 | 1.2 | 18.1 | 2500 |
| 9PWF | 0 41594 20639 3 | 500 | 125 | 18.63 | x | 9.38 | x | 10.25 | 1.0 | 17.1 | 3000 |
| 9CPWF | 0 41594 20640 9 | 500 | 125 | 18.63 | x | 9.38 | x | 10.25 | 1.0 | 17.6 | 3000 |
| 10PWF | 0 41594 20642 3 | 500 | 125 | 21.00 | x | 10.50 | x | 10.50 | 1.3 | 23.8 | 2310 |
| 10CPWF | 0 41594 20643 0 | 500 | 125 | 21.00 | x | 10.50 | x | 10.50 | 1.3 | 23.9 | 2310 |
| 9CRTF | 0 41594 20641 6 | 500 | 125 | 19.00 | x | 9.50 | x | 23.25 | 2.4 | 25.8 | 1250 |
| 11PRWF | 0 41594 20644 7 | 500 | 125 | 22.63 | x | 8.25 | x | 12.00 | 1.3 | 23.1 | 2310 |
| CLEAR PLASTIC DINNERWARE COVERS | | | | | | | | | | | |
| CL5BW | 0 41594 00144 8 | 1000 | 125 | 20.38 | x | 9.75 | x | 19.31 | 2.4 | 7.0 | 1250 |
| CL12BW | 0 41594 00139 4 | 1000 | 125 | 23.75 | x | 12.69 | x | 25.19 | 4.4 | 11.8 | 680 |
| CL8CD | 0 41594 00146 2 | 1000 | 125 | 28.50 | x | 14.63 | x | 20.44 | 4.9 | 14.9 | 610 |
| CL9P | 0 41594 00149 3 | 500 | 125 | 23.38 | x | 18.88 | x | 19.13 | 5.7 | 16.2 | 610 |
| CL9PR | 0 41594 00152 3 | 500 | 125 | 36.38 | x | 14.38 | x | 20.75 | 6.3 | 15.4 | 480 |
| WHITE FOAM HINGED LID CONTAINERS | | | | | | | | | | | |
| 50HT1 | 0 41594 22941 5 | 500 | 125 | 25.50 | x | 11.50 | x | 20.88 | 3.5 | 7.0 | 970 |
| 60HT1 | 0 41594 22942 2 | 500 | 125 | 25.25 | x | 12.38 | x | 23.50 | 4.2 | 10.5 | 710 |
| 72HT1 | 0 41594 22943 9 | 500 | 125 | 25.50 | x | 16.00 | x | 14.75 | 3.5 | 8.4 | 860 |
| 80HT1 | 0 41594 20331 6 | 200 | 100 | 22.88 | x | 15.56 | x | 16.75 | 3.5 | 6.8 | 860 |
| 80HT3 | 0 41594 20333 0 | 200 | 100 | 22.88 | x | 15.56 | x | 16.75 | 3.5 | 6.8 | 860 |
| 84HT1 | 0 41594 20601 0 | 200 | 100 | 21.25 | x | 15.00 | x | 17.50 | 3.2 | 6.7 | 940 |
| 84HT3 | 0 41594 20603 4 | 200 | 100 | 21.25 | x | 15.00 | x | 17.50 | 3.2 | 6.7 | 940 |
| 85HT1 | 0 41594 20208 1 | 200 | 100 | 23.25 | x | 16.06 | x | 17.38 | 3.8 | 7.5 | 790 |
| 85HT3 | 0 41594 20209 8 | 200 | 100 | 23.25 | x | 16.06 | x | 17.38 | 3.8 | 7.5 | 790 |
| 90HT1 | 0 41594 62477 7 | 200 | 100 | 22.50 | x | 18.50 | x | 19.75 | 4.8 | 8.6 | 630 |
| 90HT3 | 0 41594 62478 4 | 200 | 100 | 22.50 | x | 18.50 | x | 19.75 | 4.8 | 8.9 | 630 |
| 90HTPF1 | 0 41594 62479 1 | 200 | 100 | 22.50 | x | 18.50 | x | 19.75 | 4.8 | 8.6 | 630 |
| 90HTPF3 | 0 41594 62480 7 | 200 | 100 | 22.50 | x | 18.50 | x | 19.75 | 4.8 | 8.9 | 630 |
| 90HTPF1V | 0 41594 63427 1 | 200 | 100 | 22.50 | x | 18.50 | x | 19.75 | 4.8 | 8.6 | 630 |
| 90HTPF3V | 0 41594 63430 1 | 200 | 100 | 22.50 | x | 18.50 | x | 19.75 | 4.8 | 8.9 | 630 |
| 95HT1 | 0 41594 21294 3 | 200 | 100 | 24.25 | x | 19.00 | x | 19.50 | 5.2 | 10.6 | 580 |
| 95HT3 | 0 41594 21296 7 | 200 | 100 | 24.25 | x | 19.00 | x | 19.50 | 5.2 | 10.6 | 580 |
| 95HTPF1 | 0 41594 32396 0 | 200 | 100 | 24.25 | x | 19.00 | x | 19.50 | 5.2 | 10.6 | 580 |
| 95HTPF3 | 0 41594 32398 4 | 200 | 100 | 24.25 | x | 19.00 | x | 19.50 | 5.2 | 10.6 | 580 |
| 99HT1 | 0 41594 24722 8 | 500 | 125 | 26.63 | x | 21.13 | x | 20.25 | 6.6 | 15.1 | 450 |
| 110HT1 | 0 41594 25471 4 | 200 | 100 | 21.50 | x | 19.50 | x | 21.19 | 5.1 | 12.6 | 590 |
| 110HT3 | 0 41594 25473 8 | 200 | 100 | 21.50 | x | 19.50 | x | 21.19 | 5.1 | 12.6 | 590 |
| 201HT1 | 0 41594 48062 5 | 250 | 125 | 27.50 | x | 11.63 | x | 18.50 | 3.5 | 7.8 | 860 |
| 205HT1 | 0 41594 23496 9 | 200 | 100 | 22.00 | x | 13.13 | x | 19.25 | 3.2 | 7.0 | 940 |
| 205HT2 | 0 41594 23498 3 | 200 | 100 | 22.00 | x | 13.13 | x | 19.25 | 3.2 | 7.0 | 940 |
| 206HT1 | 0 41594 23500 3 | 200 | 100 | 24.50 | x | 13.50 | x | 19.75 | 3.8 | 7.7 | 790 |
| 206HT1P | 0 41594 28744 6 | 200 | 100 | 24.50 | x | 13.50 | x | 19.75 | 3.8 | 7.7 | 790 |

·Not available in all sales areas.

M-320AU

Truckload (T/L) equals 3000 cubic feet (48' trailer).

| Stock No. | Shipping Carton UPC Number | Case Count | Sleeve Count | L | Carton Size -- O.D. (inches) | | | Case Cube | Case Weight | Cases Per T/L | |
|---|----------------------------|------------|--------------|-------|------------------------------|-------|---|-----------|-------------|---------------|------|
| | | | | | W | H | | | | | |
| WHITE FOAM HINGED LID CONTAINERS (continued) | | | | | | | | | | | |
| DT1 | 0 41594 47567 6 | 200 | 100 | 20.25 | x | 17.25 | x | 16.44 | 3.3 | 8.3 | 910 |
| DT3 | 0 41594 47569 0 | 200 | 100 | 21.50 | x | 17.25 | x | 16.44 | 3.5 | 8.3 | 860 |
| BLACK FOAM HINGED LID CONTAINERS | | | | | | | | | | | |
| 60HTB1 | 0 41594 57193 4 | 500 | 125 | 25.25 | x | 12.38 | x | 23.50 | 4.2 | 10.5 | 710 |
| 85HTB1 | 0 41594 57194 1 | 200 | 100 | 23.25 | x | 16.06 | x | 17.38 | 3.8 | 7.5 | 790 |
| 85HTB3 | 0 41594 57195 8 | 200 | 100 | 23.25 | x | 16.06 | x | 17.38 | 3.8 | 7.5 | 790 |
| 90HTB1 | 0 41594 72776 8 | 200 | 100 | 22.50 | x | 18.50 | x | 19.75 | 4.8 | 8.6 | 630 |
| 90HTB3 | 0 41594 72778 2 | 200 | 100 | 22.50 | x | 18.50 | x | 19.75 | 4.8 | 8.9 | 630 |
| 90HTPFB1 | 0 41594 72780 5 | 200 | 100 | 22.50 | x | 18.50 | x | 19.75 | 4.8 | 8.6 | 630 |
| 90HTPFB3 | 0 41594 72782 9 | 200 | 100 | 22.50 | x | 18.50 | x | 19.75 | 4.8 | 8.9 | 630 |
| 95HTB1 | 0 41594 57196 5 | 200 | 100 | 24.25 | x | 19.00 | x | 19.50 | 5.2 | 9.8 | 580 |
| 95HTB3 | 0 41594 57197 2 | 200 | 100 | 24.25 | x | 19.00 | x | 19.50 | 5.2 | 10.0 | 580 |
| 95HTPFB1 | 0 41594 57198 9 | 200 | 100 | 24.25 | x | 19.00 | x | 19.50 | 5.2 | 9.8 | 580 |
| 95HTPFB3 | 0 41594 57199 6 | 200 | 100 | 24.25 | x | 19.00 | x | 19.50 | 5.2 | 10.0 | 580 |
| CLEAR HINGED LID CONTAINERS - SHOWTIME | | | | | | | | | | | |
| C53HT1 | 0 41594 20156 5 | 500 | 125 | 28.34 | x | 11.25 | x | 22.50 | 4.2 | 15.7 | 710 |
| C54HT1 | 0 41594 24338 1 | 250 | 125 | 31.75 | x | 12.38 | x | 11.88 | 2.7 | 10.1 | 1110 |
| C57HT1 | 0 41594 20157 2 | 500 | 125 | 28.63 | x | 12.25 | x | 24.75 | 5.0 | 19.9 | 600 |
| C89HT1 | 0 41594 20158 9 | 250 | 125 | 28.13 | x | 18.50 | x | 16.63 | 5.0 | 19.4 | 600 |
| C90HT1 | 0 41594 20159 6 | 250 | 125 | 28.63 | x | 18.50 | x | 16.63 | 5.1 | 20.2 | 590 |
| C90HT3 | 0 41594 20160 2 | 250 | 125 | 28.63 | x | 18.50 | x | 16.63 | 5.1 | 20.2 | 590 |
| C95HT1 | 0 41594 20161 9 | 200 | 100 | 23.31 | x | 19.44 | x | 19.50 | 5.1 | 21.8 | 590 |
| C95HT3 | 0 41594 20162 6 | 200 | 100 | 23.31 | x | 19.44 | x | 19.50 | 5.1 | 21.8 | 590 |
| C99HT1 | 0 41594 20188 6 | 200 | 100 | 20.88 | x | 10.25 | x | 25.50 | 3.2 | 13.9 | 940 |
| CLEAR HINGED LID CONTAINERS - CLEARSEAL | | | | | | | | | | | |
| C53PST1 | 0 41594 53971 2 | 500 | 125 | 23.06 | x | 11.06 | x | 21.75 | 3.2 | 15.4 | 940 |
| C57PST1 | 0 41594 50998 2 | 500 | 125 | 23.25 | x | 12.00 | x | 24.50 | 4.0 | 19.6 | 750 |
| C89PST1 | 0 41594 51459 7 | 250 | 125 | 22.25 | x | 16.81 | x | 17.44 | 3.8 | 19.0 | 790 |
| C90PST1 | 0 41594 50135 1 | 250 | 125 | 22.25 | x | 16.81 | x | 17.44 | 3.8 | 19.8 | 790 |
| C90PST3 | 0 41594 50766 7 | 250 | 125 | 22.25 | x | 16.81 | x | 17.44 | 3.8 | 19.8 | 790 |
| C95PST1 | 0 41594 53972 9 | 200 | 100 | 19.00 | x | 19.00 | x | 18.38 | 3.8 | 20.3 | 790 |
| C95PST3 | 0 41594 53973 6 | 200 | 100 | 19.00 | x | 19.00 | x | 18.38 | 3.8 | 20.3 | 790 |
| CLEAR HINGED LID CONTAINERS - STAYLOCK | | | | | | | | | | | |
| C18UT1 | 0 41594 26452 5 | 250 | 125 | 15.56 | x | 9.31 | x | 17.63 | 1.5 | 9.6 | 2000 |
| C19UT1 | 0 41594 25771 9 | 250 | 125 | 17.94 | x | 9.38 | x | 17.69 | 1.7 | 11.4 | 1760 |
| C20UT1 | 0 41594 25773 2 | 500 | 125 | 16.81 | x | 11.63 | x | 21.75 | 2.5 | 15.6 | 1200 |
| C20UTD | 0 41594 25772 9 | 500 | 125 | 17.69 | x | 11.63 | x | 21.75 | 2.6 | 15.6 | 1150 |
| C25UT1 | 0 41594 26482 1 | 500 | 125 | 16.88 | x | 13.38 | x | 25.19 | 3.3 | 20.3 | 910 |
| C26UT1 | 0 41594 25916 0 | 250 | 125 | 15.56 | x | 12.25 | x | 14.44 | 1.6 | 10.8 | 1880 |
| C30UT1 | 0 41594 27564 7 | 250 | 125 | 14.63 | x | 13.88 | x | 19.44 | 2.3 | 15.9 | 1300 |
| C32UT1 | 0 41594 25636 7 | 250 | 125 | 17.25 | x | 13.88 | x | 19.44 | 2.7 | 16.2 | 1110 |
| C35UT1 | 0 41594 26147 7 | 250 | 125 | 17.31 | x | 11.00 | x | 18.50 | 2.0 | 14.1 | 1500 |
| C40UT1 | 0 41594 27563 4 | 250 | 125 | 17.75 | x | 13.88 | x | 19.44 | 2.8 | 18.9 | 1070 |
| C50UT1 | 0 41594 26781 3 | 250 | 125 | 19.44 | x | 16.63 | x | 18.81 | 3.5 | 24.5 | 860 |
| C50UTD | 0 41594 26780 6 | 250 | 125 | 19.44 | x | 17.25 | x | 18.81 | 3.7 | 26.2 | 810 |
| C51UTS | 0 41594 25776 0 | 250 | 125 | 15.81 | x | 15.44 | x | 17.19 | 2.4 | 16.1 | 1250 |
| C51UT1 | 0 41594 25774 6 | 250 | 125 | 18.75 | x | 15.81 | x | 17.19 | 2.9 | 19.1 | 1030 |
| C51UT3 | 0 41594 25775 3 | 250 | 125 | 18.75 | x | 15.81 | x | 17.19 | 2.9 | 19.1 | 1030 |
| C55UT1 | 0 41594 25917 7 | 200 | 100 | 18.38 | x | 14.13 | x | 17.94 | 2.7 | 18.6 | 1100 |
| C55UT3 | 0 41594 25920 7 | 200 | 100 | 18.38 | x | 14.13 | x | 17.94 | 2.7 | 18.6 | 1100 |
| C57UT1 | 0 41594 26863 6 | 250 | 125 | 17.06 | x | 17.00 | x | 21.63 | 3.6 | 26.2 | 830 |
| C60UT1 | 0 41594 25777 7 | 250 | 125 | 22.31 | x | 15.25 | x | 15.00 | 3.0 | 19.5 | 1000 |
| C65UT1 | 0 41594 26143 9 | 250 | 125 | 20.88 | x | 15.31 | x | 12.88 | 2.4 | 15.9 | 1250 |
| C75UTD | 0 41594 29667 7 | 250 | 125 | 25.75 | x | 14.56 | x | 13.13 | 2.8 | 19.9 | 1070 |
| C80UT1 | 0 41594 25919 1 | 200 | 100 | 17.56 | x | 15.56 | x | 21.69 | 3.4 | 21.9 | 880 |
| C90UT1 | 0 41594 26203 0 | 200 | 100 | 27.25 | x | 12.56 | x | 13.88 | 2.7 | 18.2 | 1110 |
| CLEAR CONTAINERS - CLEARPAC | | | | | | | | | | | |
| C4DER | 0 41594 27037 0 | 1008 | 63 | 19.88 | x | 15.88 | x | 17.13 | 3.1 | 11.0 | 970 |
| C6DER | 0 41594 27038 7 | 1008 | 63 | 19.88 | x | 16.38 | x | 17.13 | 3.2 | 13.2 | 940 |
| C8DER | 0 41594 27039 4 | 1008 | 63 | 19.88 | x | 16.00 | x | 24.13 | 4.1 | 17.6 | 680 |
| C12DER | 0 41594 27040 0 | 1008 | 63 | 19.88 | x | 16.69 | x | 24.13 | 4.3 | 19.9 | 650 |
| C16DER | 0 41594 27041 7 | 1008 | 63 | 23.88 | x | 17.56 | x | 20.13 | 4.5 | 24.6 | 610 |
| C24DER | 0 41594 27042 4 | 504 | 63 | 26.38 | x | 17.19 | x | 15.63 | 4.1 | 16.4 | 730 |
| C32DER | 0 41594 27046 2 | 504 | 63 | 26.31 | x | 17.94 | x | 15.56 | 4.3 | 19.4 | 700 |
| C48DER | 0 41594 27047 9 | 252 | 63 | 18.31 | x | 17.06 | x | 15.31 | 2.8 | 12.6 | 1070 |
| C64DER | 0 41594 27048 6 | 252 | 63 | 18.31 | x | 17.88 | x | 15.31 | 2.9 | 14.6 | 1030 |
| C30DE2R | 0 41594 27045 5 | 252 | 63 | 18.38 | x | 15.38 | x | 15.31 | 2.5 | 11.1 | 1200 |
| C30DE3R | 0 41594 27044 8 | 252 | 63 | 18.38 | x | 15.38 | x | 15.31 | 2.5 | 11.1 | 1200 |
| C30DX3R | 0 41594 27043 1 | 252 | 63 | 18.38 | x | 15.38 | x | 15.31 | 2.5 | 11.1 | 1200 |
| C56NT2 | 0 41594 20195 4 | 500 | 125 | 12.31 | x | 10.25 | x | 14.56 | 1.1 | 7.9 | 2730 |
| C68NT2 | 0 41594 20196 1 | 500 | 125 | 16.19 | x | 12.75 | x | 12.13 | 1.4 | 12.9 | 2140 |

·Not available in all sales areas.

M-320AU

Truckload (T/L) equals 3000 cubic feet (48' trailer).

| Stock No. | Shipping Carton UPC Number | Case Count | Sleeve Count | L | Carton Size -- O.D. (inches) | | | Case Cube | Case Weight | Cases Per T/L | |
|--|----------------------------|------------|--------------|-------|------------------------------|-------|---|-----------|-------------|---------------|------|
| | | | | | W | H | | | | | |
| BLACK CONTAINERS - CLEARPAC | | | | | | | | | | | |
| B4DE | 0 41594 24833 1 | 504 | 63 | 16.81 | x | 15.88 | x | 10.31 | 1.6 | 6.1 | 1880 |
| B6DE | 0 41594 24834 8 | 504 | 63 | 16.81 | x | 16.38 | x | 10.31 | 1.6 | 7.1 | 1880 |
| B8DE | 0 41594 24835 5 | 252 | 63 | 16.00 | x | 12.06 | x | 10.31 | 1.1 | 4.8 | 2500 |
| B12DE | 0 41594 24836 2 | 252 | 63 | 16.69 | x | 12.06 | x | 10.31 | 1.1 | 5.4 | 2500 |
| B16DE | 0 41594 24837 9 | 252 | 63 | 17.56 | x | 12.06 | x | 10.31 | 1.3 | 6.7 | 2310 |
| B24DE | 0 41594 24838 6 | 252 | 63 | 17.19 | x | 15.31 | x | 13.56 | 2.1 | 8.6 | 1430 |
| B32DE | 0 41594 24839 3 | 252 | 63 | 17.94 | x | 15.31 | x | 13.56 | 2.2 | 10.1 | 1370 |
| B30DE2 | 0 41594 24841 6 | 252 | 63 | 18.38 | x | 15.38 | x | 15.31 | 2.5 | 11.1 | 1200 |
| B30DE3 | 0 41594 24842 3 | 252 | 63 | 18.38 | x | 15.38 | x | 15.31 | 2.5 | 11.1 | 1200 |
| B30DX3 | 0 41594 24843 0 | 252 | 63 | 18.38 | x | 15.38 | x | 15.31 | 2.5 | 11.1 | 1200 |
| CLEAR SNAP-ON LIDS - CLEARPAC | | | | | | | | | | | |
| C6DLR | 0 41594 27049 3 | 1008 | 63 | 16.88 | x | 13.38 | x | 20.13 | 2.6 | 10.9 | 1150 |
| C12DLR | 0 41594 27050 9 | 1008 | 63 | 19.88 | x | 13.38 | x | 24.13 | 2.9 | 14.8 | 810 |
| C12DDLRL | 0 41594 27051 6 | 1008 | 63 | 19.88 | x | 14.00 | x | 24.13 | 2.9 | 17.8 | 770 |
| C32DLR | 0 41594 27052 3 | 504 | 63 | 26.38 | x | 13.38 | x | 15.63 | 2.9 | 15.0 | 940 |
| C32DDLRL | 0 41594 27053 0 | 504 | 63 | 26.38 | x | 12.13 | x | 15.63 | 2.9 | 15.0 | 1030 |
| C64DLR | 0 41594 27054 7 | 252 | 63 | 18.31 | x | 11.63 | x | 15.31 | 1.9 | 9.5 | 1580 |
| C64DDLRL | 0 41594 27055 4 | 252 | 63 | 18.31 | x | 12.13 | x | 15.31 | 2.0 | 10.2 | 1500 |
| CLEAR CONTAINER COMBO-PAKS (Containers & Lids) - CLEARPAC | | | | | | | | | | | |
| C8DCPR | 0 41594 27056 1 | 252/252 | 63 | 19.88 | x | 12.13 | x | 16.19 | 2.1 | 7.9 | 1300 |
| C12DCPR | 0 41594 27057 8 | 252/252 | 63 | 19.88 | x | 12.13 | x | 16.88 | 2.2 | 9.0 | 1250 |
| C16DCPR | 0 41594 27058 5 | 252/252 | 63 | 19.88 | x | 12.13 | x | 17.75 | 2.3 | 10.0 | 1200 |
| C24DCPR | 0 41594 27059 2 | 252/252 | 63 | 26.38 | x | 15.38 | x | 17.38 | 4.1 | 14.6 | 730 |
| C32DCPR | 0 41594 27060 8 | 252/252 | 63 | 26.38 | x | 15.38 | x | 18.13 | 4.3 | 16.5 | 700 |
| CLEAR BOWLS, LIDS, AND COMBO-PAKS - PRESENTABOWLS | | | | | | | | | | | |
| C8B | 0 41594 26646 2 | 504 | 63 | 22.25 | x | 15.38 | x | 11.50 | 2.3 | 7.5 | 1300 |
| C12B | 0 41594 26647 9 | 504 | 63 | 22.25 | x | 15.81 | x | 11.50 | 2.3 | 8.8 | 1300 |
| C16B | 0 41594 26648 6 | 504 | 63 | 22.25 | x | 17.13 | x | 11.50 | 2.5 | 11.5 | 1200 |
| C24B | 0 41594 26649 3 | 252 | 63 | 15.19 | x | 14.94 | x | 15.13 | 2.0 | 8.6 | 1500 |
| C32B | 0 41594 26650 9 | 252 | 63 | 18.19 | x | 14.94 | x | 15.13 | 2.4 | 10.5 | 1250 |
| C48B | 0 41594 26651 6 | 252 | 63 | 19.00 | x | 14.94 | x | 15.13 | 2.5 | 14.1 | 1200 |
| C64B | 0 41594 26652 3 | 252 | 63 | 19.94 | x | 14.94 | x | 15.13 | 2.6 | 15.0 | 1150 |
| C16BL | 0 41594 26653 0 | 504 | 63 | 22.25 | x | 14.06 | x | 11.50 | 2.1 | 7.5 | 1430 |
| C16BDL | 0 41594 26654 7 | 504 | 63 | 22.25 | x | 14.81 | x | 11.50 | 2.2 | 8.6 | 1360 |
| C64BL | 0 41594 26655 4 | 252 | 63 | 15.00 | x | 14.94 | x | 15.13 | 2.0 | 6.8 | 1500 |
| C64BDL | 0 41594 26656 1 | 252 | 63 | 15.69 | x | 14.94 | x | 15.13 | 2.1 | 8.1 | 1430 |
| C8BC | 0 41594 26657 8 | 252/252 | 63 | 22.25 | x | 15.38 | x | 11.50 | 2.3 | 7.6 | 1300 |
| C12BC | 0 41594 26658 5 | 252/252 | 63 | 22.25 | x | 15.81 | x | 11.50 | 2.3 | 8.3 | 1300 |
| C16BC | 0 41594 26659 2 | 252/252 | 63 | 22.25 | x | 17.13 | x | 11.50 | 2.5 | 9.7 | 1200 |
| C24BC | 0 41594 26660 8 | 126/126 | 63 | 15.19 | x | 14.94 | x | 15.13 | 2.0 | 7.7 | 1500 |
| C32BC | 0 41594 26661 5 | 126/126 | 63 | 18.19 | x | 14.94 | x | 15.13 | 2.4 | 8.8 | 1250 |
| C48BC | 0 41594 26662 2 | 126/126 | 63 | 19.00 | x | 14.94 | x | 15.13 | 2.5 | 10.5 | 1200 |
| C64BC | 0 41594 26663 9 | 126/126 | 63 | 19.94 | x | 14.94 | x | 15.13 | 2.6 | 11.0 | 1150 |
| C8BCD | 0 41594 26664 6 | 252/252 | 63 | 22.25 | x | 15.38 | x | 11.50 | 2.3 | 8.1 | 1300 |
| C12BCD | 0 41594 26665 3 | 252/252 | 63 | 22.25 | x | 15.81 | x | 11.50 | 2.3 | 8.8 | 1300 |
| C16BCD | 0 41594 26666 0 | 252/252 | 63 | 22.25 | x | 17.13 | x | 11.50 | 2.5 | 10.2 | 1200 |
| C24BCD | 0 41594 26667 7 | 126/126 | 63 | 15.19 | x | 14.94 | x | 15.13 | 2.0 | 8.3 | 1500 |
| C32BCD | 0 41594 26668 4 | 126/126 | 63 | 18.19 | x | 14.94 | x | 15.13 | 2.4 | 9.4 | 1250 |
| C48BCD | 0 41594 26669 1 | 126/126 | 63 | 19.00 | x | 14.94 | x | 15.13 | 2.5 | 11.2 | 1200 |
| C64BCD | 0 41594 26670 7 | 126/126 | 63 | 19.94 | x | 14.94 | x | 15.13 | 2.6 | 11.6 | 1150 |
| CLEAR HINGED BOWLS - PRESENTABOWLS | | | | | | | | | | | |
| C8HBF | 0 41594 27947 2 | 300/300 | 75 | 18.81 | x | 11.88 | x | 22.50 | 2.9 | 9.3 | 1030 |
| C12HBF | 0 41594 27948 9 | 300/300 | 75 | 19.00 | x | 11.88 | x | 22.50 | 2.9 | 10.8 | 1030 |
| C16HBF | 0 41594 27949 6 | 300/300 | 75 | 20.44 | x | 11.88 | x | 22.50 | 3.2 | 14.5 | 940 |
| C24HBF | 0 41594 27950 2 | 150/150 | 75 | 20.56 | x | 15.44 | x | 15.19 | 2.8 | 10.1 | 1070 |
| C32HBF | 0 41594 27951 9 | 150/150 | 75 | 21.13 | x | 15.44 | x | 15.19 | 2.9 | 12.4 | 1030 |
| C8HBD | 0 41594 27954 0 | 300/300 | 75 | 18.81 | x | 11.88 | x | 22.50 | 2.9 | 9.3 | 1030 |
| C12HBD | 0 41594 27955 7 | 300/300 | 75 | 19.00 | x | 11.88 | x | 22.50 | 2.9 | 10.8 | 1030 |
| C16HBD | 0 41594 27956 4 | 300/300 | 75 | 20.44 | x | 11.88 | x | 22.50 | 3.2 | 14.5 | 940 |
| C24HBD | 0 41594 27957 1 | 150/150 | 75 | 20.56 | x | 15.44 | x | 15.19 | 2.8 | 10.1 | 1070 |
| C32HBD | 0 41594 27958 8 | 150/150 | 75 | 21.13 | x | 15.44 | x | 15.19 | 2.9 | 12.4 | 1030 |

| Stock No. | Shipping Carton UPC Number | Case Count | Sleeve Count | L | Carton Size -- O.D. (inches) | | | Case Cube | Case Weight | Cases Per T/L | |
|---|----------------------------|------------|--------------|-------|------------------------------|-------|---|-----------|-------------|---------------|------|
| | | | | | W | H | | | | | |
| PLASTIC CUTLERY - STYLE SETTER WHITE | | | | | | | | | | | |
| S6BW | 0 41594 20400 9 | 1000 | Bulk | 18.00 | x | 11.75 | x | 10.75 | 1.3 | 6.6 | 2310 |
| F6BW | 0 41594 20401 6 | 1000 | Bulk | 18.00 | x | 11.75 | x | 11.00 | 1.3 | 7.1 | 2310 |
| K6BW | 0 41594 20402 3 | 1000 | Bulk | 11.75 | x | 9.50 | x | 9.25 | 0.6 | 7.3 | 5000 |
| SU6BW | 0 41594 20403 0 | 1000 | Bulk | 17.75 | x | 11.75 | x | 10.50 | 1.3 | 6.8 | 2310 |
| PLASTIC CUTLERY - STYLE SETTER HONEY | | | | | | | | | | | |
| S6BH | 0 41594 20404 7 | 1000 | Bulk | 18.00 | x | 11.75 | x | 10.75 | 1.3 | 6.6 | 2310 |
| F6BH | 0 41594 20405 4 | 1000 | Bulk | 18.00 | x | 11.75 | x | 11.00 | 1.3 | 7.1 | 2310 |
| K6BH | 0 41594 20406 1 | 1000 | Bulk | 11.75 | x | 9.50 | x | 9.25 | 0.6 | 7.3 | 5000 |
| SU6BH | 0 41594 20407 8 | 1000 | Bulk | 17.75 | x | 11.75 | x | 10.50 | 1.3 | 6.8 | 2310 |
| PLASTIC CUTLERY - STYLE SELECT BLACK | | | | | | | | | | | |
| S6BBPS | 0 41594 48463 0 | 1000 | Bulk | 18.00 | x | 11.75 | x | 10.75 | 1.3 | 7.4 | 2310 |
| F6BBPS | 0 41594 48461 6 | 1000 | Bulk | 18.00 | x | 11.75 | x | 11.00 | 1.3 | 7.4 | 2310 |
| K6BBPS | 0 41594 48462 3 | 1000 | Bulk | 11.75 | x | 9.50 | x | 9.25 | 0.6 | 7.8 | 5000 |
| SU6BBPS | 0 41594 48464 7 | 1000 | Bulk | 17.75 | x | 11.75 | x | 10.50 | 1.3 | 7.8 | 2310 |
| PLASTIC CUTLERY - BONUS WHITE | | | | | | | | | | | |
| S5BW | 0 41594 20408 5 | 1000 | Bulk | 12.38 | x | 10.00 | x | 11.88 | 0.9 | 4.8 | 3330 |
| F5BW | 0 41594 20409 2 | 1000 | Bulk | 12.38 | x | 10.00 | x | 11.88 | 0.9 | 4.5 | 3300 |
| K5BW | 0 41594 20410 8 | 1000 | Bulk | 9.00 | x | 9.00 | x | 8.00 | 0.4 | 3.5 | 7500 |
| SU5BW | 0 41594 20411 5 | 1000 | Bulk | 12.38 | x | 10.00 | x | 14.50 | 1.0 | 6.6 | 3000 |
| SO8BW | 0 41594 20412 2 | 1000 | Bulk | 17.75 | x | 11.25 | x | 13.50 | 1.6 | 6.9 | 1880 |



DART CONTAINER CORPORATION

The Industry Standard of Excellence

Mason, Michigan 48854 U.S.A.
 Ph: 800-248-5960 • Fax: 517-676-3883
 Email: sales@dart.biz • www.dart.biz